

Category	Product Type	Eligibility Criteria
Appliances	Air Purifier or Cleaner	1. Product must be ENERGY STAR Certified.
Appliances	Clothes Dryer	1. Product must be ENERGY STAR Certified.
Appliances	Clothes Washer	1. Product must be ENERGY STAR Certified.
Appliances	Dehumidifier	1. Product must be ENERGY STAR Certified.
Appliances	Dishwasher	1. Product must be ENERGY STAR Certified.
Appliances	Freezer	1. Product must be ENERGY STAR Certified.
Appliances	Refrigerator	1. Product must be ENERGY STAR Certified.
Appliances	Room Air Conditioner	1. Product must be ENERGY STAR Certified.
Energy Auditing	Home Energy Audit or Blower Door Test	1. Service must be performed to BPI Standards.
		1. Product must meet ONE of the criteria sets below: a. Split: SEER ≥ 15.0, EER ≥ 12.5, and HSPF ≥ 8.5. b. Package: SEER ≥ 15.0, EER ≥ 12.0, and HSPF ≥ 8.2.
HVAC	Air-Source Heat Pump	
HVAC	Boiler - Gas High Efficiency	1. AFUE ≥ 90%.
HVAC	Boiler - Oil High Efficiency	1. AFUE ≥ 87%.
HVAC	Boiler - Steam	1. AFUE ≥ 82%.
	Boiler Reset or Thermal Purge Control	1. Product must be programmed per manufacturer's specifications and site conditions.
HVAC	Ceiling Fan	1. Product must be ENERGY STAR Certified.
		1. Product must meet ONE of the criteria sets below: a. Split: SEER ≥ 15.0 and EER ≥ 12.5. b. Package: SEER ≥ 15.0 and EER ≥ 12.0.
HVAC	Central Air Conditioner	
HVAC	Duct Insulation	1. Installation must comply with ENERGY STAR and/or BPI guidelines.
HVAC	Duct Replacement	1. Installation must comply with ENERGY STAR and/or BPI guidelines.
HVAC	Duct Sealing	1. Installation must comply with ENERGY STAR and/or BPI guidelines.
HVAC	Ductless Mini-Split Air Conditioner	1. SEER ≥ 15.0 and EER ≥ 12.5.
HVAC	Ductless Mini-Split Heat Pump	1. SEER ≥ 15.0, EER ≥ 12.5, and HSPF ≥ 8.5.
HVAC	Energy Monitoring or Management System	1. Product must display current and historical energy use to occupant.
HVAC	Energy Recovery Ventilation (ERV) System	1. Product must be certified by the Home Ventilating Institute (HVI).
HVAC	Furnace - Gas	1. AFUE ≥ 95%.
HVAC	Furnace - Oil	1. AFUE ≥ 85%.
		1. Product must meet ONE of the criteria sets below: a. Closed Loop Water-to-Air: EER ≥ 17.1 and COP ≥ 3.6. b. Open Loop Water-to-Air: EER ≥ 21.1 and COP ≥ 4.1. c. Closed Loop Water-to-Water: EER ≥ 16.1 and COP ≥ 3.1. d. Open Loop Water-to-Water: EER ≥ 20.1 and COP ≥ 3.5. e. DGX: EER ≥ 16.0 and COP ≥ 3.6.
HVAC	Geothermal Heat Pump	

Category	Product Type	Eligibility Criteria
HVAC	Heat Recovery Ventilation (HRV) System	1. Product must be certified by the Home Ventilating Institute (HVI).
HVAC	HVAC Blower Fan	1. Product must be an ECM.
HVAC	Pellet Stove or Fireplace Insert	1. Product must be on the List of EPA Certified Wood Stoves.
HVAC	Programmable Thermostat	1. Product must be programmable.
HVAC	Radiant Heating	1. Distribution must be hydronic, not electric resistance. 2. If installing a heat source, the heating equipment must comply with eligibility criteria.
HVAC	Utility Gas Line Extension	1. Gas line must be used to replace existing fuel oil, propane, or electric resistance system.
HVAC	Ventilating Fan	1. Product must be ENERGY STAR Certified.
HVAC	Whole House Fan	1. Fan must be properly sealed and insulated during winter months.
HVAC	Wood Stove or Fireplace Insert	1. Product must be on the List of EPA Certified Wood Stoves.
Insulation and Air Sealing	Air Sealing	1. Service must be performed to ENERGY STAR and/or BPI guidelines.
Insulation and Air Sealing	Attic Rafter Insulation	1. R-value $\geq 19$ unless structural limitations prevent achievement of these insulation levels, in which instances the maximum R-value that can be achieved is required, with complete fill of cavities with insulation (i.e. no voids) at a minimum. 2. Installation must comply with ENERGY STAR and/or BPI guidelines.
Insulation and Air Sealing	Basement or Crawlspace Insulation	1. Installation must comply with ENERGY STAR and/or BPI guidelines.
Insulation and Air Sealing	Ceiling Insulation	1. R-value $\geq 38$ unless structural limitations prevent achievement of these insulation levels, in which instances the maximum R-value that can be achieved is required, with complete fill of cavities with insulation (i.e. no voids) at a minimum. 2. Installation must comply with ENERGY STAR and/or BPI guidelines.
Insulation and Air Sealing	Floor Insulation	1. R-value $\geq 19$ unless structural limitations prevent achievement of these insulation levels, in which instances the maximum R-value that can be achieved is required, with complete fill of cavities with insulation (i.e. no voids) at a minimum. 2. Installation must comply with ENERGY STAR and/or BPI guidelines.
Insulation and Air Sealing	Wall Insulation	1. R-value $\geq 13$ unless structural limitations prevent achievement of these insulation levels, in which instances the maximum R-value that can be achieved is required, with complete fill of cavities with insulation (i.e. no voids) at a minimum. 2. Installation must comply with ENERGY STAR and/or BPI guidelines.
Lighting	Indoor Lighting Fixture	1. Product must be ENERGY STAR Certified or use LED technology.
Lighting	Light Bulb	1. Product must be ENERGY STAR Certified or use LED technology.
Lighting	Lighting Control	1. The product must be one of the following lighting control types: a. Automatic Time-Switch. b. Daylight/Photo-Sensor. c. Dimmer. d. Occupancy/Motion/ Vacancy Sensor.
Lighting	Outdoor Lighting Fixture	1. Product must be ENERGY STAR Certified or use LED technology.

Category	Product Type	Eligibility Criteria
Roofing and Siding	Cool Roof - Performance	1. If the roof does not qualify as a Prescriptive Cool Roof, then ONE of the following performance criteria must be met in order to qualify as a Performance Cool Roof: <ul style="list-style-type: none"> <li>a. Eligible Attic Insulation is installed.</li> <li>b. Eligible Duct Replacement is installed.</li> <li>c. Eligible Duct Sealing and Duct Insulation is completed.</li> <li>d. Eligible Radiant Barrier is installed.</li> <li>e. 1" air-space is installed between top of roof deck and bottom of roofing product.</li> <li>f. Insulation is installed above roof deck with R-value <math>\geq 4</math>.</li> </ul>
Roofing and Siding	Cool Roof - Prescriptive	1. Product must meet ONE of the criteria below. If Aged Solar Reflectance is not available, it can be calculated using the following equation: Aged Solar Reflectance = $(0.7) \times (\text{Initial Solar Reflectance}) + 0.06$ . <ul style="list-style-type: none"> <li>a. Low-Slope roofs (roof pitch <math>\leq 2:12</math>) must have an Aged Solar Reflectance <math>\geq 0.5</math>.</li> <li>b. Steep-Slope roofs (roof pitch <math>&gt; 2:12</math>) must have an Aged Solar Reflectance <math>\geq 0.15</math>.</li> </ul>
Roofing and Siding	Exterior Coating	1. Product must have solar reflectance $\geq 0.5$ as tested by a third-party laboratory using ASTM C1549-09 test method. 2. Product color must be listed on the Renew Financial Exterior Coating Pre-Approval List.
Roofing and Siding	Insulated Siding	1. One of the following performance criteria must be met in order for the product to qualify: <ul style="list-style-type: none"> <li>a. The siding includes an insulated backing with R-value <math>\geq 2</math>.</li> <li>b. Insulation with R-value <math>\geq 2</math> is installed beneath the siding.</li> </ul>
Roofing and Siding	Radiant Barrier	1. Emittance $\leq 0.1$ and/or Reflectivity $\geq 0.9$ . 2. Product must be installed with an air space on at least one side of the barrier.
Water Heating	Desuperheater	1. Heat exchanger must transfer waste heat from a heat pump to domestic hot water system.
Water Heating	Electric Heat Pump Tank Water Heater	1. Product must be ENERGY STAR Certified.
Water Heating	Gas Storage Tank Water Heater	1. Product must be ENERGY STAR Certified.
Water Heating	Gas Tankless Water Heater	1. Product must be ENERGY STAR Certified.
Water Heating	Hot Water Pipe Insulation	1. R-Value $\geq 3$ .
Water Heating	Hot Water Tank Insulation	1. R-Value $\geq 6$ .
Water Heating	Indirect Tank	None.
Water Heating	Water Heat Recovery	1. Heat exchanger must transfer waste heat from drain to domestic hot water system.
Windows and Doors	Applied Window Film	1. Product must be NFRC Certified.
Windows and Doors	Door	1. Product must meet the criteria below, based on region defined by ENERGY STAR: <ul style="list-style-type: none"> <li>a. Opaque Doors: U-Factor <math>\leq 0.17</math>.</li> <li>b. <math>\leq 1/2</math>-Lite Doors: U-Factor <math>\leq 0.25</math> and SHGC <math>\leq 0.25</math>.</li> <li>c. <math>&gt; 1/2</math>-Lite Doors: U-Factor <math>\leq 0.30</math> and SHGC <math>\leq 0.40</math>.</li> </ul>
Windows and Doors	Exterior Shading Product	1. Product must be permanently installed to provide shading to at least one window or door. 2. Product must be installed on the West or South side of property. 3. The product must be one of the following to qualify: awning, exterior window shade, solar screen, patio cover, roof overhang.

Category	Product Type	Eligibility Criteria
Windows and Doors	Interior Window Treatment	1. Draperies must be installed so they touch the floor and have a cornice at the top. Shades must be installed to fit the window as tightly as possible. Blinds are not eligible.
Windows and Doors	Skylight	1. Product must meet criteria below, based on region defined by ENERGY STAR: a. Northern: U-Factor $\leq 0.5$ . b. North-Central: U-Factor $\leq 0.53$ and SHGC $\leq 0.35$ .
Windows and Doors	Storm Window	1. Product must have a low-e coating.
Windows and Doors	Tubular Daylighting Device	1. Product must meet criteria below, based on region defined by ENERGY STAR: a. Northern: U-Factor $\leq 0.5$ . b. North-Central: U-Factor $\leq 0.53$ and SHGC $\leq 0.35$ .
Windows and Doors	Window	1. Product must meet criteria below, based on region defined by ENERGY STAR: a. Northern: U-Factor $\leq 0.30$ . b. North-Central: U-Factor $\leq 0.30$ and SHGC $\leq 0.40$ .
Windows and Doors	Window or Door Screen	None.
Electric Vehicle Charging Station	Electric Vehicle Charging Station	1. Product must be a Level 2 charger with SAE J1772 standard charging plug. 2. Product must be Underwriters Laboratory (UL) listed.
Solar Thermal	Solar Water Heater	1. Product must be ENERGY STAR Certified or product must have OG-300 System Certification by the Solar Rating and Certification Corporation (SRCC) or International Association of Plumbing and Mechanical Officials (IAPMO).
Wind Energy	Small Wind Turbine	None.
Custom Product	Custom Energy Efficiency Product	1. Product must be approved by Program Administrator. Submissions can be entered here: <a href="https://renewfinancial.com/custom-product-request/">https://renewfinancial.com/custom-product-request/</a> .
Custom Product	Custom Renewable Energy Product	1. Product must be approved by Program Administrator. Submissions can be entered here: <a href="https://renewfinancial.com/custom-product-request/">https://renewfinancial.com/custom-product-request/</a> .
Non-Qualifying Improvement	Non-Qualifying Improvement	1. Product must be installed on the property. 2. Non-Qualifying Improvements must be less than 25% of the financed amount.